

**제1회
스포츠 심장 연구회
발족 기념 심포지움**

ECG Interpretation in Athletes – To Test or Not to Test?

가톨릭의대 김성환



ECG interpretation in Athletes

- to test or not to test

가톨릭의대 서울성모병원

김 성 환


Classification of the athlete's ECG

Group 1: common and training-related ECG changes	Group 2: uncommon and training-unrelated ECG changes
Sinus bradycardia	T-wave inversion
First-degree AV block	ST-segment depression
Incomplete RBBB	Pathological Q-waves
Early repolarization	Left atrial enlargement
Isolated QRS voltage criteria for left ventricular hypertrophy	Left-axis deviation/left anterior hemiblock
	Right-axis deviation/left posterior hemiblock
	Right ventricular hypertrophy
	Ventricular pre-excitation
	Complete LBBB or RBBB
	Long- or short-QT interval
	Brugada-like early repolarization

Corrado et al. *EHJ* 2010

Memo

Sudden death in young athletes




Hypertrophic cardiomyopathy

- 1/500 in general population, family history in more than half
- Most common cause of SCD in young (esp. athlete)


Memo

Age at the diagnosis



Kim et al. *Int Heart J.* 2013


ECG abnormalities in HCM (1)



Kim SH et al. *YMJ* 2015


Memo

ECG abnormalities in HCM (2)



Kim SH et al. *YMJ* 2015


ECG abnormalities in HCM (3)



Kim SH et al. *YMJ* 2015

Memo

Brugada ECG



Corrado et al. *EHJ* 2010

Memo
